Appendix 1: Description of the nine stages of community readiness and corresponding scores

Stage (Readiness Score)	Description	
1. No awareness (1-1.99)	The issue is not generally recognized as a problem; the issue is	
1. No awareness (1-1.99)	normative and accepted.	
2. Denial (2-2.99)	Most community members believe that the problems do not exist	
2. Delliai (2-2.99)	locally or are impossible to change	
3. Vague awareness (3-	Community members and leaders began recognition of the problem but	
3.99)	there is no immediate motivation to do anything about it	
4. Preplanning (4-4.99)	Community members and leaders clearly recognize the issue as a	
4. Freplanning (4-4.99)	concern although efforts are not focused or detailed.	
5 Proporation (5.5.00)	Most community members want to do something to address the issue	
5. Preparation (5-5.99)	and planning is occurring.	
6. Initiation (6-6.99)	Leaders begin implementation of a program and enough information is	
0. Illitiation (0-0.99)	available to justify the efforts.	
7. Stabilization (7-7.99)	Some programs are operating and are stable and most community	
7. Stabilization (7-7.99)	members have more than basic knowledge of local efforts and issues.	
8.Confirmation/Expansion Community members and leaders strongly support efforts; efforts		
(8-8.99)	place and expand.	
9. High level of community	Most community members have sophisticated and detailed knowledge	
ownership (9-9.99)	of local efforts and issues; leaders are continually reviewing evaluation	
	results and the model is applied to other issues.	

Appendix 2: Characteristics of the expert panel of Delphi study

	Invited experts n=33	Round 1 n=26 n (%)	Round 2 n=21 n (%)	Round 3 n=19 n (%)
Response Rate	<u> </u>	21(81)	19 (73)	16 (61/5)
Sex				
Male	18 (54/5)	12 (46)	10 (48)	9 (47)
Female	15 (45/5)	14 (54)	11(52)	10 (53)
Specialty				
Nutritionist	9(27)	7(27)	7(33)	6(31/5)
Health education and promotion specialist	5(15)	4(15)	2(9/5)	2(10/5)
Sociologist	3(9)	3(11/5)	2(9/5)	2(10/5)
Epidemiologist	2 (6))	2(7/5)	1(5)	0
Health policy specialist	5(15)	2(7/5)	1(5)	1(5)
Child psychologist	3(9)	3(11/5)	3(14)	3(16)
Pediatrician	2(6)	2(7/5)	2(9/5)	2(10/5)
Social medicine specialist	4(12)	3(11/5)	3(14)	3(16)

Appendix 3: Socio-demographic characteristics of the interviewed key informants (n=66)

	High SES (District 2) n (%)	Low SES (District 16) n (%)
Sex		
Female	29 (90/6)	31 (91/2)
Male	3 (9/4)	3(8/8)
Maio	3 (3/1)	3(0,0)
School personnel		
School principal	4(12/5)	5(14/7)
Physical education teacher	4(12/5)	4(11/8)
School health & education consultant	5 (15/6)	4(11/8)
Teacher	3(9/4)	3(8/8)
Parent	4(12/5)	6(17/6)
Municipal community center	6(18/8)	6(17/6)
Public health care center	6(18/8)	6(17/6)
Age (years)		
20-29	0(0)	3(8/8)
30-39	7(21/9)	14(41/2)
40-49	15(46/9)	16(47/0)
50-59	10(31/2)	1(2/9)
Level of education		
High school diploma	0(0)	6(17/7)
BSc	27(84/4)	25(73/5)
MSc	5(15/6)	3(8/8)
Marital status		
	4(12/5)	6(17/6)
Single Married	4(12/5) 28(87/5)	28(82/4)
Married	20(07/3)	20(02/4)
Length of association with		
the local community (years)		
1-3	15(46/9)	24(70/6)
3-6	10(31/2)	7(20/6)
6-9	4(12/5)	0(0)
> 9	3(9/4)	3(8/8)

Appendix 4: Local communities' readiness scores across SES and sex

	High SES (D	istrict 2)	Low SES (Dia	strict 16)	Total	Stage of readiness for each dimension
Dimensions	Girls' schools (n=3)	Boys' schools(n=3)	Girls' schools (n=3))	Boys' schools (n=3)	Boys'& Girls' schools (n=12)	Boys' & Girls' schools(n=12)
Community efforts	5.43 (0.34)	4.51 (0.44)	4.52 (0.73)	4.38(0.66)	4.71 (0.48)	Preplanning
Knowledge of efforts	5.50 (0.30)	4.37 (0.37)	4.53 (0.62)	4.38(0.43)	4.69 (0.54)	Preplanning
Leadership	4.64 (0.06)	3.94 (0.63)	4.41 (0.38)	3.73 (0.56)	4.18 (0.41)	Preplanning
Community climate	4.48 (0.23)	4.04(0.26)	4.28 (0.40)	3.76 (0.60)	4.14 (0.31)	Preplanning
Knowledge of issue	5.41 (0.36)	4.59 (0.58)	4.42 (0.62)	4.22 (0.11)	4.65 (0.51)	Preplanning
Resources	4.56 (0.42)	3.97 (0.28)	4.33 (0.67)	3.72 (0.41)	4.14 (0.37)	Preplanning
Overall readiness scores (SD)	5.00 (0.48)	4.23 (0. 28)	4.41 (0.09)	4.03 (0.32)	4.41(0.29)	
Stage of readiness	Preparation	Preplanning	Preplanning	Preplanning	Preplanning	

Data are Means (Standard Deviation) (SD).

Appendix 5: Local communities' readiness scores across intervention and comparison sites

	Girls' schools, District 2 [†]	Boys' schools, District 2	Girls' schools, District 16 [†]	Boys' schools, District 16
Dimensions	Intervention/ Comparison (n=710) / (n=715)	Intervention/ Comparison (n=695) / (n=735)	Intervention/ Comparison (n=650) / (n=564)	Intervention/ Comparison (n=620) / (n=546)
Community efforts	¶5.05 (0.21) / 5.53(0.30)	5.01(0.17) / 4.15(0.33)	5.21(0.36) / 4.62 (0.47)	5.10 (0.29) /4.25(0.75)
Knowledge of efforts	5.20 (0.30) / 5.50 (0.28)	4.20 (0.31) / 4.80(0.57)	5.02 (0.22) /4.75 (0.28)	4.75(0.41) / 4.50(0.54)
Leadership	4.66 (0.68) / 4.58(0.86)	4.08 (0.26) / 4.50(0.35)	4.50 (0.70) / 4.75 (0.64)	4.18 (0.53) / 3.91(0.80)
Community climate	4.75 (0.52) / 4.33(0.87)	4.13(0.43) / 4.26(0.33)	4.40 (0.55) / 4.62 (0.47)	4.30 (0.34) / 3.88(0.49)
Knowledge of issue	5.06 (0.35) / 5.38(0.31)	4.13(0.43) / 4.40(0.96)	5.14(0.37) / 4.12 (0.62)	4.33 (0.60) / 4.25(0.61)
Resources	4.08 (0.20) / 4.86(0.74)	4.06(0.27) / 4.20(0.27)	4.75(0.38) / 4.70 (0.47)	4.06 (0.35) / 3.86(0.49)
Overall readiness stage	4.80 (0.54) / 5.02(0.74)	4.25(0.45) / 4.35 (0.55)	4.79 (0.57) / 4.59(0.50)	4.45 (0.54) / 4.11(0.63)

Mean (SD); ‡ District 2, High SES; District 16, Low SES

Appendix 6: Socio-demographic characteristics of the *FGDs participants

Participants	n (%)
Титегрине	H (70)
Overall	22 (100)
Gender	
Female	21 (95.5)
Male	1(4.5)
School personnel	
School manager	2 (9)
Physical education teacher	3 (13.5)
School consultant in Health &	3 (13.5)
education	, ,
Teacher	3 (13.5)
Parent	3 (13.5)
Municipal neighborhood house	4 (18)
Public health care center	4 (18)
Age	
20-29 years old	1 (4.5)
30-39 years old	9 (40.5)
40-49 years old	12 (54)
50-59 years old	0 (0)
Level of education	
High school completed	3 (13.5)
BA	17 (77)
MSc	2 (9)

^{*}Focus Group Discussions

Appendix 7: Socio-demographic characteristics of the interviewed key informants across intervention and comparison sites (n=46)

	Comparison	Intervention
	n (%)	n (%)
Overall	24 (100)	22 (100)
Gender		
Female	23 (96)	21 (95.5)
Male	1 (4)	1(4.5)
School personnel		
School manager	4 (16)	2 (9)
Physical education teacher	2 (8.4)	3 (13.5)
School consultant in Health & education	3 (12.5)	3 (13.5)
Teacher	2 (8.4)	3 (13.5)
Parent	5 (21)	3 (13.5)
Municipal neighborhood house	4 (16.8)	4 (18)
Public health care center	4 (16.8)	4 (18)
Age		
20-29 years old	0 (0)	1 (4.5)
30-39 years old	4 (16.8)	9 (40.5)
40-49 years old	15 (62.5)	12 (54)
50-59 years old	5 (21)	0 (0)
Level of education		
High school completed	0 (0)	3 (13.5)
BA	21 (87.5)	17 (77)
MSc	3 (12.5)	2 (9)