Investigating the Relationships Between Spiritual Well-Being and Other Well-Being Dimensions, and Attitude Toward High-Risk Behaviors in Adolescents, with Emphasis on the Mediating Role of Personality Traits

Fatima Vaezipour¹, Mohammad-Kazem Atef-Vahid ^{2,*}, Mehdi Amini³ and Abbas Ramezani Farani⁴

¹Department of Health Psychology, School of Behavioral Sciences and Mental Health, Tehran, Iran

²Department of Health Psychology, Mental Health Research Center, School of Behavioral Sciences and Mental Health, Iran University of Medical Sciences, Tehran, Iran

³Department of Addiction Studies, School of Behavioral Sciences and Mental Health (Tehran Institute of Psychiatry), Iran University of Medical Sciences, Tehran, Iran

⁴Department of Clinical Psychology, School of Behavioral Sciences and Mental Health (Tehran Institute of Psychiatry), Iran University of Medical Sciences, Tehran, Iran

*Corresponding author: Department of Health Psychology, Mental Health Research Center, School of Behavioral Sciences and Mental Health, Iran University of Medical Sciences, Tehran, Iran. Email: kazemv@yahoo.com

Received 2021 February 13; Revised 2021 June 18; Accepted 2021 July 02.

Abstract

Background: Research indicates the increasing prevalence of high-risk behaviors among adolescents, which may have many causes.

Objectives: The present study aimed to investigate the relationship between spiritual well-being and other dimensions of well-being and the tendency for high-risk behaviors in adolescents, with an emphasis on the mediating role of personality traits.

Methods: This is a descriptive and correlational study. The statistical population of the study consisted of all high school students in the second semester of the academic year 2018 - 2019 in the city of Tehran. Data collection tools were Spiritual, Psychological, Social, and Physical Well-being questionnaires, Iranian Adolescent Risk questionnaire, and PID-5 Personality Characteristics questionnaire-short version. SPSS V.22, R programming V.3.6, and AMOS V.24 were used to analyze the data.

Results: The results showed that there is a significant relationship between spiritual well-being and other aspects of well-being, i.e., physical health ($r = 0.28$), social well-being ($r = 0.39$), psychological well-being ($r = 0.44$), with $P < 0.01$ for all. There was also a significant negative relationship between spiritual well-being and components of high-risk behavior ($r = 0.48$, $P < 0.01$). In addition, personality traits were found to play a significant role as a mediating variable in the relationship between spiritual well-being and high-risk behaviors.

Conclusions: Spiritual well-being is a factor affecting other aspects of well-being and reducing risky behaviors, and personality traits play an important role in mediating the relationship between spiritual well-being and other dimensions of well-being and high-risk behaviors.

Keywords: Adolescents, Personality, Spirituality, Well-Being

1. Background

During adolescence years, social, cultural, familial, and friends' expectations, as well as physical maturation, hormonal changes, and puberty-related changes, lead to periods of uncertainty, self-disbelief, and hopelessness. These factors affect the individual's health and well-being and may lead to risky behaviors (1).

Some studies have shown that spiritual well-being can play a protective role in the development of high-risk behaviors in adolescents (2, 3). In 1979, WHO considered spirituality as an important element of health along with bio-

logical, social, and psychological well-being (4).

A review of the literature indicates that spirituality is increasingly being considered a key solution to psychosocial problems (5). Although there are no reliable statistics on Iranian adolescents' high-risk behaviors, some studies indicate an increase in such behaviors among Iranian youth (6). Significant negative correlations have also been reported between spiritual well-being and different types of high-risk behaviors (7, 8). Research has also shown significant relationships between spiritual well-being and other aspects of well-being (9, 10).

Studies have also suggested that some personality

traits can lead to high-risk behaviors or poor well-being. Personality, as enduring patterns of perception, thinking, and behavior affects individuals' interactions with others across different situations (11). It can be said that personality traits are good predictors of some specific behaviors. For instance, studies have shown a significant relationship between negative affectivity and the ability to resist alcohol consumption (12) and that individuals with disinhibited personality traits are more vulnerable to risky behaviors such as drug and alcohol abuse (13). In addition, lack of spiritual well-being has been found to be a significant predictor of maladaptive personality traits (14). People who have higher spiritual well-being are more aware of themselves and are more capable of dealing with problems (15). Spirituality may represent an important aspect of one's personality that has not been explored (16). Although a number of studies have reported a positive relationship between spirituality and well-being, further studies are needed to ascertain the precise character of the relationships between spirituality and different aspects of well-being. In addition, limited studies have addressed the relationships between spirituality and dimensions of well-being, high-risk behaviors, and personality traits. The present study aimed to shed further light on the association between these variables among Iranian adolescents.

2. Objectives

Considering the scarcity of studies addressing the dynamic relationships between dimensions of well-being, high-risk behaviors, and personality traits, this study aimed to investigate the relationship between spiritual health and well-being dimensions, personality traits, and tendency to engage in high-risk behaviors among adolescents.

3. Methods

This is a cross-sectional descriptive study. The statistical population included all high school students aged 15 to 17 in the city of Tehran. Using the formula $n = Z(1 - \frac{\alpha}{2})^2 \times \frac{\partial^2}{d^2}$ (17) the required sample size was 329. To account for possible dropouts and incomplete questionnaires, 350 high school students from Districts 3 and 7 were selected through convenient sampling procedure. Of 350 participants, 325 students completed questionnaires that were included in the final analyses. Through the school information network, students and their parents were informed of the purpose of the study. The students and their parents who agreed to participate in the study were asked to sign the informed consent form, then the students were

asked to complete the questionnaires in the classroom. Both students and their parents were assured that the information would be kept confidential.

The inclusion criteria were as follows: age between 13 and 17 years old, being a high school student, and willingness to participate in the study. The exclusion criteria were as follows: any psychiatric or medical problems for which treatment or medication was required and a past history of hospitalization due to a psychiatric disorder.

3.1. Research Instruments

3.1.1. Spiritual Well-being Questionnaire

The 20-item Paloutzian-Allison Spiritual Well-being questionnaire (SWBQ) is designed to assess the spiritual and existential health of individuals. The validity and reliability of the questionnaire were examined in a study in Iran, confirming its content validity and reporting a Cronbach's alpha of 0.82 (18).

3.1.2. Ryff and Keyes Psychological Well-being Questionnaire

The 18-item short form of Ryff and Keyes questionnaire assesses six factors related to psychological well-being, i.e., self-acceptance, environmental mastery, positive relationship with others, purpose in life, personal growth, and independence (19). The sum of scores of these six factors comprises the total score for the scale. In a study in Iran, in a sample of 987 individuals, the Cronbach's alpha for the six factors and the total scale were 0.51, 0.76, 0.75, 0.52, 0.73, 0.72, and 0.71, respectively (20).

3.1.3. Keyes Social Well-being Questionnaire

This 33-item questionnaire was designed to measure five dimensions of social well-being, i.e., social integration, social contribution, social coherence, social actualization, and social acceptance (21). The internal consistency coefficients for the factors were 0.57, 0.69, 0.81, 0.75, and 0.77, respectively. In a study in Iran, the Cronbach's alpha for the dimensions and the total scale were 0.77, 0.74, 0.73, 0.74, 0.76, and 0.76, respectively (22).

3.1.4. Physical Health Questionnaire

The initial version of this questionnaire was introduced in 1987. In 2005, a more comprehensive evaluation of the questionnaire resulted in a 14-item questionnaire measuring the four dimensions of physical health, including headache, sleep disturbance, gastrointestinal, and respiratory problems (23). In a study in Iran, the Cronbach's alpha coefficients for the four factors and the total scale were 0.79, 0.66, 0.77, 0.71, and 0.81, respectively (24).

3.1.5. Iranian Adolescent Risk-Taking Scale (IARS)

This scale is designed to assess Iranian adolescents' risk-taking behavior. The Cronbach's alpha coefficients for the total scale, dangerous driving, violence, smoking, drug abuse, drinking, relation with opposite sex, and sexual relationship and behavior were 0.94, 0.74, 0.78, 0.93, 0.93, 0.90, 0.83, and 0.87, respectively (25).

3.1.6. Personality Inventory for DSM-5 Personality Disorders (PID-5):

This inventory was developed to assess maladaptive personality traits based on DSM-5 dimensional model. It covers 25 personality traits in five domains, including negative effect, detachment, antagonism, disinhibition, and psychoticism. The Cronbach's alpha for the domains ranged from 0.78 for disinhibition to 0.96 for detachment (26). The reliability of this inventory was evaluated in a sample of 1,396 Iranian students, and the overall Cronbach's alpha coefficients were reported 0.93 for traits and 0.88 for domains (27).

3.1.7. Ethical Considerations

The Ethics Committee of Iran University of Medical Sciences approved this study (approval ID: IR.IUMS.REC.1398.554).

4. Results

The sample consisted of 350 adolescents, 25 of whom were excluded from the study due to incomplete responses to research questionnaires. Table 1 shows the demographic characteristics of the participants.

The results of the study regarding the relationships between the study variables are shown in Table 2.

According to Table 2, the correlations between spiritual well-being and physical well-being, social well-being, psychological well-being, and personality traits are all significantly positive ($P < 0.01$). However, spiritual well-being has a significantly negative correlation with risk-taking behaviors variables ($P < 0.01$). High-risk behaviors also had a significantly negative correlation with spiritual well-being. Moreover, personality traits as a mediating variable had significantly positive correlations with all dimensions of well-being and a significantly negative correlation with high-risk behaviors.

The results of the correlation between high-risk behaviors and spirituality are shown in Table 3.

The results show that spiritual well-being has significantly negative relationships with high-risk behaviors.

Structural equation was used to examine the mediating role of personality traits in the relationship between

Table 1. Demographic Characteristics of the Participants^a

Variables	Values
Total	325
Average age	16.28
Minimum age	15
Maximum age	17
Standard deviation	0.489
Skewness	0.498
Elongation	-0.637
Grade	
10th grade	140 (43.1)
11th grade	121 (37.2)
12th grade	64 (19.6)
Gender	
Male	170 (57.7)
Female	155 (52.3)

^aValues are expressed as No. (%).

spiritual well-being and other study variables, the results of which are summarized in Figure 1.

According to Figure 1, there are significant correlations between spiritual well-being and other aspects of well-being (c). The numbers outside the parentheses show direct effects, and the numbers in parentheses show indirect effects of personality traits. Here, a-b1- b2- b3 represent regression coefficients, with numbers outside parentheses, indicating indirect effects with respect to the mediating variables (i.e., personality traits) and the numbers in parentheses, representing overall correlations (considering direct and indirect paths).

To examine the mediating role of personality traits in the relationships between spiritual well-being and high-risk behaviors, structural equation modeling was used, the results of which are shown in Figure 1.

Figure 2 shows the structural relationships between spiritual well-being and high-risk behaviors with the personality traits as a mediating variable.

In Figure 2, (c) indicates a direct relationship, while (c') indicates an indirect relationship. In the relationship between spiritual well-being and personality traits (a), and between personality traits and high-risk behaviors (b), the numbers outside of the parentheses show direct, while the numbers inside the parentheses indicate the overall direct and indirect relationships.

Table 2. Correlations Between Study Variables^a

Variable	Spiritual Well-Being	Physical Well-Being	Social Well-Being	Psychological Well-Being	High-Risk Behaviors	Personality Traits
Spiritual well-being	1					
Physical well-being	0.289**	1				
Social well-being	0.395**	0.149**	1			
Psychological well-being	0.447**	0.233**	0.401**	1		
High-risk behaviors	-0.480**	-0.264**	-0.218**	-0.202**	1	
Personality traits	0.382**	0.299**	0.271**	0.465**	-0.356**	1

^a**, $P < 0.01$.**Table 3.** Correlation Coefficients Between Spiritual Well-Being and High-Risk Behaviors^a

High-Risk Behaviors	Drug	Alcohol	Smoking	Violence	Sexual Relationship	High-Risk Driving	High-Risk Behaviors
Spiritual Well-being	-0.353**	-0.403**	-0.293**	-0.421**	-0.361**	-0.245**	-0.480**

^a**, $P < 0.01$ **Figure 1.** Structural equation of the relationship between spiritual well-being and other dimensions of well-being according to the mediating role of personality traits in adolescents.

5. Discussion

The results confirmed the significant relationships between spiritual well-being and other aspects of well-being.

Significant negative relationships were also observed be-

Figure 2. Structural equation analysis of the relationship between spiritual well-Being and high-risk behaviors with personality traits as a mediating variable.

tween spiritual well-being and high-risk behaviors such as smoking, drug use, alcohol use, sexual behaviors, high-risk driving, and violent behaviors. The relationships between personality traits as a mediating variable and spiritual well-being and high-risk behaviors were significant.

The importance of spirituality in life has been supported by many studies. Kelly and Miller's research has shown that spirituality is associated with various outcomes such as physical health and psychological well-being (28). A study by the Gallup International Institute on Adolescents from 1959 to 1993 showed that spiritual and religious variables played significant roles in reducing 57% of adolescents' high-risk behaviors and suggested that spirituality was a constructive factor in adolescents' lives (29). The results of the present study were also in line with the results of the studies that have shown the role of spirituality in reducing high-risk behaviors and improving physical and mental health (2, 3, 30). Also, it has been shown that spirituality plays a major role in reducing high-risk behaviors, improving emotional health, and preventing violence (31). Studies in Iran have also shown significantly negative correlations between spiritual well-being and high-risk behaviors. It can be concluded that the protective effects of spiritual factors can promote more positive social behaviors and reduce high-risk behaviors (31).

The results of this study also show that personality traits play important role in the tendency for high-risk behaviors. These findings are consistent with the results of other studies indicating that the risk of substance use is related to antagonism and impulsivity (32). Aspects of an-

tagonism traits include tendency to ignore others' needs, show deceitful and controlling behaviors, show cruelty, display grandiosity, and seek attention (33).

The results of a previous study also showed that the tendency to use alcohol is associated with negativity, antisocial tendencies, psychoticism, and disinhibition (34). Another study has shown that people who are more disinhibited and impulsive are more vulnerable to high-risk behaviors (35). The authors have reported that individuals who have traits such as irresponsibility, distractibility, impulsivity, abrupt response to stimuli, and excessive perfectionism are more vulnerable to risk-taking behaviors.

In addition, this study showed that personality traits were significantly correlated with variables of well-being and spirituality. Wilt et al. (36) have suggested that spiritual well-being is a variable that not only predicts other dimensions of well-being but also can predict personality effects. Spiritual/religious strategy can significantly affect life satisfaction, self-esteem, depression, and anxiety, which are aspects of psychological, social, and physical well-being. Based on the results of previous and present studies, spirituality can be considered a personality trait (36). Some studies, citing Allport's theory, consider spirituality and spiritual well-being as aspects of one's personality structure (16). Some authors have suggested that spiritual well-being is related to various aspects of well-being, including psychological well-being and personality, and that spirituality may represent an important aspect of human personality (37).

5.1. Conclusions

The findings of the present study are in line with the results of other studies on the relationship between spiritual well-being and mental health. This study shows that spirituality can positively affect one's health and quality of life by influencing one's beliefs and values. Changing the frameworks of human thinking and behavior can be an important factor in the health of one's behavior. Spirituality leads to a reduction of high-risk behaviors by improving individuals' psychological, physical, and social well-being. In addition, in line with the previous studies, personality traits have mediating effects on the relationship between spiritual well-being and high-risk behaviors. To further affirm the findings of the present study, it is suggested that the study should be replicated on samples with various age groups, socioeconomic status, and cultural backgrounds. It is also suggested that in future studies, other measurement methods and random sampling should be utilized.

Footnotes

Authors' Contribution: Fatima Vaezipour developed the original idea, study concept, design, and drafting of the manuscript. Mohammad-Kazem Atef-Vahid did critical revision of the manuscript for important intellectual content and help for the concept and design of the study as well as the study supervision. Mehdi Amini did statistical analysis. Abbas Ramezani Farani did critical revision of the manuscript for important intellectual content. All authors have read and approved the final manuscript.

Conflict of Interests: The authors declare that they have no conflict of interest.

Ethical Approval: The Ethics Committee of Iran University of Medical Sciences approved this study (approval ID: IR.IUMS.REC.1398. 554).

Funding/Support: The authors received no financial support for the research, authorship, and publication of this manuscript.

Informed Consent: Informed consent was obtained from all participants.

References

1. Malim T, Birch A. Adolescence and adulthood. *Introductory Psychology*. London: Palgrave; 1998. p. 535–67.
2. Koenig HG. Spirituality and mental health. *Int J Appl Psychoanalytic Stud*. 2010;n/a. doi: [10.1002/aps.239](#).
3. Regnerus MD, Elder GH. Religion and vulnerability among low-risk adolescents. *Soc Sci Res*. 2003;32(4):633–58. doi: [10.1016/s0049-089x\(03\)00027-9](#).
4. Saylor C. The circle of health: a health definition model. *J Holist Nurs*. 2004;22(2):97–115. doi: [10.1177/0898010104264775](#). [PubMed: [15154987](#)].
5. Boelens PA, Reeves RR, Replogle WH, Koenig HG. The effect of prayer on depression and anxiety: maintenance of positive influence one year after prayer intervention. *Int J Psychiatry Med*. 2012;43(1):85–98. doi: [10.2190/PM.43.1.f](#). [PubMed: [22641932](#)].
6. Ansari-Moghaddam A, Bakhshani NM, Hoseinbore M, Shahhraki Sanavi F. High-risk behaviors related to intentional and unintentional harm in adolescents of zahedan, iran. *Int J High Risk Behav Addict*. 2015;4(1). e20328. doi: [10.5812/ijhrba.20328](#). [PubMed: [25861582](#)]. [PubMed Central: [PMC4386057](#)].
7. Rashid K. Epidemiology of high-risk behaviors among Tehran adolescent girls and boys. *Soc Welfare Q*. 2015;15(57):31–55.
8. Hassan J, Sheykhan R, Mahmoodzadeh A, Nikroo M. The role of spiritual well-being and coping strategies in risky behaviors of adolescents. *Thoughts Behav Clin Psychol*. 2014;9(33):17–26.
9. Cotton S, Kudel I, Roberts YH, Pallerla H, Tsevat J, Succop P, et al. Spiritual well-being and mental health outcomes in adolescents with or without inflammatory bowel disease. *J Adolesc Health*. 2009;44(5):485–92. doi: [10.1016/j.jadohealth.2008.09.013](#). [PubMed: [19380097](#)]. [PubMed Central: [PMC2704380](#)].
10. Wong YJ, Rew L, Slaikeu KD. A systematic review of recent research on adolescent religiosity/spirituality and mental health. *Issues Ment Health Nurs*. 2006;27(2):161–83. doi: [10.1080/01612840500436941](#). [PubMed: [16418077](#)].
11. Roberts BW. Back to the Future: Personality and Assessment and Personality Development. *J Res Pers*. 2009;43(2):137–45. doi: [10.1016/j.jrp.2008.12.015](#). [PubMed: [20161194](#)]. [PubMed Central: [PMC2711529](#)].
12. Creswell KG, Bachrach RL, Wright AG, Pinto A, Ansell E. Predicting problematic alcohol use with the DSM-5 alternative model of personality pathology. *Personal Disord*. 2016;7(1):103–11. doi: [10.1037/per0000131](#). [PubMed: [26389625](#)]. [PubMed Central: [PMC4710566](#)].
13. Mitchell MR, Potenza MN. Addictions and Personality Traits: Impulsivity and Related Constructs. *Curr Behav Neurosci Rep*. 2014;1(1):1–12. doi: [10.1007/s40473-013-0001-y](#). [PubMed: [24772382](#)]. [PubMed Central: [PMC3996683](#)].
14. Horton E, Luna N, Malloy T. Exploring the Relationships between Spirituality and Personality Disorder Traits among a Sample of In-Patients in Treatment for Substance Use Disorder. *Int J Ment Health Addict*. 2015;14(4):459–71. doi: [10.1007/s11469-015-9596-4](#).
15. Sharma P, Charak R, Sharma V. Contemporary perspectives on spirituality and mental health. *Indian J Psychol Med*. 2009;31(1):16–23. doi: [10.4103/0253-7176.53310](#). [PubMed: [21938086](#)]. [PubMed Central: [PMC3168074](#)].
16. Brandt PY. Religious and Spiritual Aspects in the Construction of Identity Modelized as a Constellation. *Integr Psychol Behav Sci*. 2019;53(1):138–57. doi: [10.1007/s12124-018-9436-8](#). [PubMed: [29802514](#)]. [PubMed Central: [PMC6394616](#)].
17. Charan J, Biswas T. How to calculate sample size for different study designs in medical research? *Indian J Psychol Med*. 2013;35(2):121–6. doi: [10.4103/0253-7176.116232](#). [PubMed: [24049221](#)]. [PubMed Central: [PMC3775042](#)].
18. Jafari A, Vahedian-Shahroodi M. Spiritual Health Status and its Relationship with Demographic Characteristics of Students of Mashhad University of Medical Science. *Journal of Education and Community Health*. 2019;6(4):223–9. doi: [10.29252/jech.6.4.223](#).
19. Ryff CD. Happiness is everything, or is it? Explorations on the meaning of psychological well-being. *J Person Soc Psychol*. 1989;57(6):1069–81. doi: [10.1037/0022-3514.57.6.1069](#).
20. Vahidi Z, Jafari Harandi R. Predicting of Psychological Well-Being from Components of Psychological Capital and Spiritual Attitude. *Positive Psychol Res*. 2017;3(2):51–64.
21. Keyes CLM. Social Well-Being. *Soc Psychol Q*. 1998;61(2). doi: [10.2307/2787065](#).
22. Rezaei O, Noghani Dokht Bahmani M. The Social Well-being of University Students and Factors Affecting it. *J Soc Sci*. 2018;14(2):31–56.

23. Schat AC, Kelloway E, Desmarais S. The Physical Health Questionnaire (PHQ): Construct Validation of a Self-Report Scale of Somatic Symptoms. *J Occup Health Psychol*. 2005;**10**(4):363-81. doi: [10.1037/1076-8998.10.4.363](https://doi.org/10.1037/1076-8998.10.4.363).
24. Abasi F, Kimiaei SA, Safariyan Tosi M, Abedi MRR. Psychometric properties of the Persian version of Physical Health Questionnaire. *es Med*. 2018;**41**(4).
25. Zadeh Mohammadi A, Ahmadabadi Z, Heidari M. [Construction and assessment of psychometric features of Iranian adolescents risk-taking scale]. *Iran J Psychiatr Clin Psychol*. 2011;**17**(3):218-25. Persian.
26. Krueger RF, Derringer J, Markon KE, Watson D, Skodol AE. Initial construction of a maladaptive personality trait model and inventory for DSM-5. *Psychol Med*. 2012;**42**(9):1879-90. doi: [10.1017/S0033291711002674](https://doi.org/10.1017/S0033291711002674). [PubMed: [22153017](https://pubmed.ncbi.nlm.nih.gov/22153017/)]. [PubMed Central: [PMC3413381](https://pubmed.ncbi.nlm.nih.gov/PMC3413381/)].
27. Amini M, Lotfi M, Sadeghi S, Khorrami Z. [Structure and internal consistency evaluation of personality inventory for DSM-5 in an Iranian population]. *Koomesh*. 2019;**21**(1):102-8. Persian.
28. Kelley BS, Miller L. Life satisfaction and spirituality in adolescents. *Research in the Social Scientific Study of Religion, Volume 18*. Brill; 2007. p. 233-61.
29. Sinha JW, Cnaan RA, Gelles RJ. Adolescent risk behaviors and religion: Findings from a national study. *J Adolesc*. 2007;**30**(2):231-49.
30. Cotton S, McGrady ME, Rosenthal SL. Measurement of religiosity/spirituality in adolescent health outcomes research: trends and recommendations. *J Relig Health*. 2010;**49**(4):414-44. doi: [10.1007/s10943-010-9324-0](https://doi.org/10.1007/s10943-010-9324-0). [PubMed: [20127172](https://pubmed.ncbi.nlm.nih.gov/20127172/)]. [PubMed Central: [PMC2917535](https://pubmed.ncbi.nlm.nih.gov/PMC2917535/)].
31. O'Brien L, Denny S, Clark T, Fleming T, Teevale T, Robinson E. The impact of religion and spirituality on the risk behaviours of young people in Aotearoa, New Zealand. *Youth Stud Australia*. 2013;**32**(4):25-37.
32. Borjali MN, Mansoie Far H. The relation between spiritual well being, life satisfaction and academic achievement in girl and boy university students. *Q J Educ Psychol Islam Azad Univ Tonekabon Branch*. 2011;**3**(11).
33. Mozaffari F, Hejazi M. The role of Spiritual and Psychological Well-being in Predicting High-risk Behaviors of Young Prisoners in Zanzan. *J Re Religion Health*. 2019;**5**(3):32-44.
34. Gunnarsson M, Petter Gustavsson J, Tengström A, Franck J, Fahlke C. Personality traits and their associations with substance use among adolescents. *Person Individ Differ*. 2008;**45**(5):356-60. doi: [10.1016/j.paid.2008.05.004](https://doi.org/10.1016/j.paid.2008.05.004).
35. Hopwood CJ, Thomas KM, Markon KE, Wright AG, Krueger RF. DSM-5 personality traits and DSM-IV personality disorders. *J Abnorm Psychol*. 2012;**121**(2):424-32. doi: [10.1037/a0026656](https://doi.org/10.1037/a0026656). [PubMed: [22250660](https://pubmed.ncbi.nlm.nih.gov/22250660/)]. [PubMed Central: [PMC3909514](https://pubmed.ncbi.nlm.nih.gov/PMC3909514/)].
36. Wilt JA, Grubbs JB, Exline JJ, Pargament KI. Personality, religious and spiritual struggles, and well-being. *Psychol Religion Spirit*. 2016;**8**(4):341-51. doi: [10.1037/rel0000054](https://doi.org/10.1037/rel0000054).
37. Unterrainer HF, Lewis AJ, Fink A. Religious/Spiritual Well-being, personality and mental health: a review of results and conceptual issues. *J Relig Health*. 2014;**53**(2):382-92. doi: [10.1007/s10943-012-9642-5](https://doi.org/10.1007/s10943-012-9642-5). [PubMed: [22965652](https://pubmed.ncbi.nlm.nih.gov/22965652/)].