

A qualitative study of nursing students' experiences of clinical practice

Sharif F, PhD

Faculty of Nursing and Midwifery, Shiraz University of Medical Sciences, Shiraz, Iran

Received: March, 2005

Accepted: May, 2005

Abstract

Background: Nursing student' experiences of their clinical practice provide greater insight to develop an effective clinical teaching strategy in nursing education.

Purpose: To investigate nurses' experience of their clinical practice.

Methods: Focus groups were used to obtain students' opinion about and experiences of their clinical practice. Ninety baccalaureate nursing students at Shiraz University of Medical Sciences (Faculty of Nursing and Midwifery) were selected randomly from two hundred students and were arranged in 9 groups of ten students. Qualitative data analysis approaches were used to code, categorize and analyze focus group data.

Results: Four themes emerged from the focus group data. From the students' point of view, "initial clinical anxiety", "theory-practice gap", "clinical supervision", and "professional role" were considered as important factors in clinical experience.

Conclusion: The result of this study showed that nursing students were not satisfied with the clinical component of their education. They experienced anxiety as a result of feeling incompetent and lacking professional nursing skills and knowledge to take care of various patients in the clinical setting.

Keywords: NURSING STUDENTS, EXPERIENCE, CLINICAL PRACTICE

Journal of Medical Education Spring 2005; 7(1):18-25

Introduction

Clinical experience has been always an integral part of nursing education. It prepares student nurses to be able of "doing" as well as "knowing" the clinical principles in practice. The clinical practice stimulates students to use their critical thinking skills for problem solving (1). Awareness of the existence of stress in nursing students by nurse educators and responding to it will help to diminish student nurses experience of stress (2).

Corresponding author: Fatemeh Sharif, Faculty of Nursing and Midwifery, Shiraz University of Medical Sciences, Shiraz, Iran
PO Box: 71345-1359
Email: shariffarkhondeh2001@yahoo.com
or nursedean@sums.ac.ir
Tel: 0098-711-6266931
Fax: 0098-711-6279135

Clinical experience is one of the most anxiety-producing components of the nursing program which has been identified by nursing students. In a descriptive correlational study by Beck and Srivastava, 94 second, third and fourth year nursing students reported that clinical experience was the most stressful part of the nursing program (3). Lack of clinical experience, unfamiliar areas, difficult patients, fear of making mistakes and being evaluated by faculty members were expressed by the students as anxiety-producing situations in their initial clinical experience. In a study done by Hart and Rotem, stressful events for nursing students during clinical practice have been studied. They found that the initial clinical experience was the most anxiety producing part of their clinical experience (4). The sources of stress during clinical practice have been studied by many

researchers (5-11).

The researcher came to realize that nursing students have a great deal of anxiety when they begin their clinical practice in the second year. It is hoped that an investigation of the student's view toward their clinical experience can help developing an effective clinical teaching strategy in nursing education.

Materials and Methods

A focus group design was used to investigate the nursing student's view about the clinical practice. Focus groups are widely used as an assessment technique. The purpose of using focus group is to obtain information of a qualitative nature from a predetermined and limited number of people (12, 13).

Using focus groups in qualitative research concentrates on words and observations to express reality and attempts to describe people in natural situations (14). Group interview is essentially a qualitative data gathering technique (13). It can be used at any point in a research program and one of its common uses is to obtain general background information about a topic of interest (14).

Focus groups interviews are essential in the evaluation process as part of a need assessment, during a program, at the end of the program or months after the completion of a program to gather perceptions on the outcome of that program (15, 16).

In this study focus groups were used to provide more information about participant's attitudes, views, experience, perception and thoughts, and also to provide more reliable information about clinical experience through group interaction. The participants from which the sample was drawn consisted of 90 baccalaureate nursing students from first, second and third year (30 students from each year) at Shiraz University of Medical Sciences (Faculty of Nursing and Midwifery). They were arranged in nine groups of ten students. Initially, the topics developed included 9 open-ended questions that were related to their nursing clinical experience. The following topics were used to stimulate

discussion regarding clinical experience in the focus groups:

1. How do you feel about being a student in nursing education?
2. How do you feel about nursing in general?
3. Is there any thing about the clinical field that might cause you to feel anxious about it?
4. Would you like to talk about those clinical experiences you found most anxiety producing?
5. Which clinical experiences did you find enjoyable?
6. What are the best and worst things you think can happen during the clinical experience?
7. What do nursing students worry about regarding clinical experiences?
8. How do you think clinical experiences can be improved?
9. What is your expectation of clinical experiences?

The first two questions were general questions which were used as ice breakers to stimulate discussion and put participants at ease encouraging them to interact in a normal manner with the facilitator.

The following steps were undertaken in the focus group data analysis.

1. Immediate debriefing after each focus group with the observer's debriefing notes. Debriefing notes included comments about the focus group process and the significance of data;
2. Listening to the tape and transcribing the content of the tape;
3. Checking the content of the tape with the observer's notes and considering any non-verbal behavior. The benefit of transcription and checking the contents with the observer was picking up the following:
 - a. Parts of words
 - b. Non-verbal communication, gestures and behavior.

The methods used to code and categorise focus group data were adapted from approaches to qualitative data analysis discussed by Miles and Huberman (17) and focus group data analysis by Stewart and Shamdasani (14). For coding the transcript it was necessary to go through the transcripts line by line and paragraph by paragraph, looking for significant statements and

codes according to the topics addressed.

The researcher was guided to use three levels of coding according to Streubert and Carpenter (18). Three levels of coding were selected as appropriate for coding the data.

Level 1 coding examined the data line by line and making substantive codes which were taken from the language of the subjects who attended the focus groups.

Level 2 coding which is a comparison between coded data with other data and the creation of categories. Categories are simply coded data that seem to cluster together and may result from condensing of level 1 code (19).

Level 3 coding which describes the Basic Social Psychological Process which is the title given to the central themes that emerge from the data. Figure 1 shows the three level codes for one of the themes.

Figure 1. Themes of Initial Clinical Anxiety

Level 1 codes	
•	Lack of confidence
•	Lack of knowledge
•	Lack of confidence in the first day
•	Being anxious about starting clinical practice
•	Fear of hospital environment
•	First week anxiety
•	Fear of unknown in the first day
Level 2 codes	
*	Fear of failure
*	Feeling incompetent
*	Feeling under pressure
*	Fear of facing the procedure
Level 3 codes	
Initial clinical Anxiety	

The researcher continued the comparative analysis by further comparing the categories and linking them with one another, and from this the constructs emerged. Comparing issues with issues, issues with categories and categories with categories is the principal aim of this method

(19).

The documents were submitted to two reviewers for validation. This action provides an opportunity to determine the reliability of the coding (14, 15). Following a review of the codes and categories, an agreement was reached on the classification.

Ethical considerations

The study was conducted after approval has been obtained from Shiraz University Vice-Chancellor for Research; in addition to permission to conduct the study obtained from Dean of the Faculty of Nursing and Midwifery. All participants were informed of the objective and design of the study and a written consent was received from the participants for interviews.

Results

The demographic characteristics of the samples are presented in Table 1.

Table1: Demographic characteristics of the sample (N = 90)

Mean age (years)	22 (Minimum 18 and Maximum 25)
Gender	%
Female	94
Male	6
Marital status	
Single	86
Married	14

The qualitative analysis led to the emergence of four themes from the focus group data. From the students' point of view, "initial clinical anxiety", "theory-practice gap", "clinical supervision", and "professional role" were considered as important factors in clinical experience.

Initial clinical anxiety

This theme emerged from all focus group discussions where students described the difficulties experienced at the beginning of

placement. Almost all of the students had felt anxious in their initial clinical placement. Worrying about giving the wrong information to the patient was one of the issues brought up by students.

One of the students said:

On the first day I was so anxious about giving the wrong information to the patient. I remember one of the patients asked me "what's my diagnosis" and I said 'I do not know', she said 'you do not know? How you can look after me if you do not know what my diagnosis is?'

From all the focus group sessions, the students stated that the first month of their training in clinical placement was anxiety producing for them. One of the students said:

The most stressful situation is when we make the next step. I mean...clinical placement and we don't have enough clinical experience to accomplish the task, and do our nursing duties. Almost all of the fourth year students in the focus group sessions felt that their stress reduced as their training and experience progressed.

Another cause of student's anxiety in initial clinical experience was the students' concern about the possibility of harming a patient through their lack of knowledge in the second year. One of the students said:

In the first day of clinical placement two patients were assigned to me. One of them had IV fluid. When I introduced myself to her, I noticed her IV was running out. I was really scared and I did not know what to do and I called my instructor.

Fear of failure and making mistakes in nursing procedures was expressed by another student. She said:

I was so anxious when I had to change the colostomy dressing of my 24 years old patient. It took me 45 minutes to change the dressing. I went ten times to the clinic to bring the stuff. My heart rate was increasing and my hand was shaking. I was very embarrassed in front of my patient and instructor. I will never forget that day.

Sellek studied anxiety-creating incidents for nursing students. He suggested that the ward is the best place to learn but very few of the

learner's needs are met in this setting. Incidents such as evaluation by others on initial clinical experience and total patient care, as well as interpersonal relations with staff, quality of care and procedures are anxiety producing (11).

Theory-practice gap

The category theory-practice gap emerged from all focus discussion where almost every student described in the focus group sessions, in some way, the lack of integration of theory into clinical practice.

I have learnt so many things in the class, but there is not much more chance to do them in actual settings.

Another student mentioned:

When I just learned theory for example about a disease such as diabetic mellitus and then I go on the ward and see the real patient with diabetic mellitus, I relate it back to what I learned in class and in that way, it will remain in my mind. It does not happen sometimes.

The literature suggests that there is a gap between theory and practice. It has been identified by Allmark and Tolly (20, 21). The development of practical theory -the theory which is developed from practice for practice- is one way of reducing the theory-practice gap (21). Rolfe suggests that by reconsidering the relationship between theory and practice, the gap can be closed (22).

Clinical supervision

Clinical Supervision by the head nurse (Nursing Unit Manager) and staff nurses was another issue discussed by the students in the focus group sessions. One of the students said:

Sometimes we are taught mostly by the head nurse or other nursing staff. The ward staff are not concerned about what students learn, they are busy with their duties and they are unable to have both an educational and a service role. Another student added:

Some of the nursing staff have good interaction with nursing students and they are interested in helping students in the clinical placement but they are not aware of the skills and strategies which are necessary in clinical education and are not prepared for their role to act as an instructor in the clinical placement.

The students mostly mentioned their instructor's role as an evaluative person. The majority of students had the perception that their instructors have a more evaluative role than a teaching role.

Professional role

One view that was frequently expressed by nursing students in the focus group sessions was that students often thought that their work was 'not really professional nursing'. They were confused by what they had learned in the faculty and what in reality was expected of them in practice.

We just do basic nursing care, very basic. ...You know...giving bed baths, keeping patients clean and making their beds. Anyone can do it. We spend four years studying nursing but we do not feel we are doing a professional job.

The role of the professional nurse and nursing auxiliaries was another issue discussed by one of the students:

The role of auxiliaries such as Behyars and Nurses Aids are the same as the role of the professional nurse. We spend four years and we have learned that nursing is a professional job and it requires training and skills and knowledge, but when we see that Behyars and Nurses Aids are doing the same things, it can not be considered a professional job.

Discussion

The student's views toward clinical experience showed that they were not satisfied with the clinical component of their education. Four main themes of concern for students were 'initial clinical anxiety', 'theory-practice gap', 'clinical supervision', and 'professional role'.

The nursing students clearly identified that the initial clinical experience is very stressful for them. Students in the second year experienced more anxiety compared with third and fourth year students. This was similar to the finding of Bell and Ruth who found that nursing students have a higher level of anxiety in their second year (23, 24). Neary identified three main categories of concern for students which are the fear of doing harm to patients, the sense of not belonging to the nursing team, and of not being

fully competent on registration (25), which are similar to what our students mentioned in the focus group discussions. Jinks and Patmon also found that students felt they had an insufficiency in clinical skills upon completion of pre-registration program (26).

Initial clinical experience was the most anxiety producing part of student clinical experience. In this study fear of making mistake (fear of failure) and being evaluated by faculty members were expressed by the students as anxiety-producing situations in their initial clinical experience. This finding is supported by Hart and Rotem (4) and Stephens (27). Developing confidence is an important component of clinical nursing practice (28). Development of confidence should be facilitated by the process of nursing education; as a result, the students become competent and confident. Differences between actual and expected behaviour in the clinical placement creates conflicts in nursing students. Nursing students receive instructions which are different to what they have been taught in the classroom. Students feel anxious and this anxiety has effect on their performance (29, 30). The existence of theory-practice gap in nursing has been an issue of concern for many years as it has been shown to delay student learning. All the students in this study clearly demonstrated that there is a gap between theory and practice. This finding is supported by other studies such as Ferguson and Jinks (31), Hewison and Wildman (32) and Bjork (33). Discrepancy between theory and practice has long been a source of concern to teachers, practitioners and learners. It deeply rooted in the history of nurse education (32).

According to Hewison and Wildman, theory-practice gap has been recognised for over 50 years in nursing. This issue is said to have caused the movement of nurse education into higher education sector (32).

Clinical supervision was one of the main themes in this study. According to participant, instructor role in assisting student nurses to reach professional excellence is very important. In this study, the majority of students had the perception that their instructors have a more evaluative role

than a teaching role. About half of the students mentioned that some of the head nurse (nursing unit manager) and staff nurses are very good in supervising them in the clinical area. The clinical instructors or mentors can play an important role in nursing students' self-confidence, promote role socialization, and encourage independence which leads to clinical competency (34). A supportive and socialising role was identified by the students as the mentor's function. This finding is similar to the finding of Earnshaw (35).

The students identified factors that influence their professional socialisation. Professional role and hierarchy of occupation were factors which were frequently expressed by the students. Self-evaluation of professional knowledge, values and skills contribute to the professional's self-concept (36). The professional role encompasses skills, knowledge and behaviour learned through professional socialisation (37). The acquisition of career attitudes, values and motives which are held by society are important stages in the socialisation process (38). According to Corwin, autonomy, independence, decision-making and innovation are achieved through professional self-concept (39). Lengacher discussed the importance of faculty staff in the socialisation process of students and in preparing them to practice in reality. Maintenance and/or nurturance of the student's self-esteem play an important role for facilitation of socialisation process (40).

Conclusion

The focus groups data analysis revealed the concerns that the nursing students have about their clinical practice. The finding of this study and the literature support the need to rethink about the clinical skills training in nursing education. It is clear that all themes mentioned by the students play an important role in student learning and nursing education in general. There were some similarities between the results of this study with other reported studies and confirmed that some of the factors are universal in nursing education. Nursing students expressed

their views and mentioned their worry about the initial clinical anxiety, theory-practice gap, professional role and clinical supervision. They mentioned that integration of both theory and practice with good clinical supervision enables them to feel they are enough competent to take care of patients. The result of this study would help us as educators to design strategies for more effective clinical teaching.

Acknowledgement

The author would like to thank the student nurses who participated in this study for their valuable contribution

References

1. Dunn SV, Burnett P. The development of a clinical learning environment scale. *J Advanced Nurs* 1995; 22:1166-1173.
2. Lindop E. Factors associated with student and pupil nurse wastage. *J Advanced Nurs* 1987; 12 (6): 751-756.
3. Beck D, Srivastava R. Perceived level and source of stress in baccalaureate nursing students. *J Nursing Educ* 1991; 30 (3): 127-132.
4. Hart G, Rotem A. The best and the worst: Students' experiences of clinical education. *Australian J Advanced Nurs* 1994; 11 (3): 26-33.
5. Sheila S, Huey-Shyon L, Shiohli H. Perceived stress and physio-psycho-social status of nursing students during their initial period of clinical practice. *International J Nurs Studies* 2002; 39: 165-175.
6. Johnson J. Reducing distress in first level and student nurses. *J Advanced Nurs* 2000; 32: 66-74.
7. Admi H. Nursing students' stress during the initial clinical experience. *J Nurs Educ* 1997; 36:323-327.
8. Blainey GC. Anxiety in the undergraduate medical-surgical clinical student. *J Nurs Educ* 1980; 19(8): 33-36.
9. Wong J, Wong S. Towards effective clinical teaching in nursing. *J Advanced Nurs* 1987; 12(4): 505-513.

10. Windsor A. Nursing students' perceptions of clinical experience. *J Nurs Educ* 1987; 26 (4): 150-154.
11. Sellek T. Satisfying and anxiety creating incidents for nursing students. *Nursing Times* 1982; 78 (35): 137-140.
- Krueger RA. Focus groups: A practical guide for applied research. 1988. Sage Publications: California.
13. Denzin NK. The research act, 3rd ed. Prentice Hall: Englewood Cliffs, New Jersey. 1989
14. Stewart DW, Shamdasani PN. Analysing focus group data. In: Shamdasani PN. Focus groups: Theory and practice. Sage Publications: Newbury Park. 1990
15. Barbour RS, Kitzinger J. Developing focus group research: Politics, theory and practice. Sage Publications, 1999.
16. Patton MQ. Qualitative evaluation and research methods, 2nd ed. Sage publications, 1990
17. Miles M, Huberman AM. Qualitative data analysis. Sage Publications: Beverly Hills, California. 1994
18. Streubert HJ, Carpenter DR. Qualitative research in nursing: Advancing the humanistic imperative. JB Lippincott Company: Philadelphia. 1995
19. Glaser BG, Strauss A. The discovery of grounded theory: Strategies for qualitative research. Aldine: New York, 1967.
20. Allmark P. A classical view of the theory-practice gap in nursing. *J Advanced Nurs* 1995, 22 (1), 18-23.
21. Tolley KA. Theory from practice for practice: Is this a reality? *J Advanced Nurs* 1995, 21 (1), 184-190.
22. Rolfe G. Listening to students: Course evaluation as action research. *Nurse Educ Today* 1994; 14(3): 223-227.
23. Bell P. Anxiety in mature age and higher school certificate entry student nurses – A comparison of effects on performance. *Journal of Australian Congress of Mental Health Nurses* 1984, 4/5, 13-21.
24. Ruth L. Experiencing before and throughout the nursing career. *J Advanced Nurs* 2002; 39:119
25. Neary M. Project 2000 students' survival kit: a return to the practical room. *Nurse Educ Today* 1997; 17 (1): 46-52
26. Jinks A, Pateman B. Neither this nor that: The stigma of being an undergraduate nurse. *Nursing Times* 1998; 2(2): 12-13
27. Stephen RL. Imagery: A treatment for nursing student anxiety. *J Nurs Educ* 1992; 31 (7): 314-319.
28. Grundy SE. The confidence scale. *Nurse Educator* 1993; 18 (1): 6-9.
29. Copeland L. Developing student confidence. *Nurse Educator* 1990; 15 (1): 7.
30. Jones D. The need for a comprehensive counselling service for nursing students. *J Advanced Nurs* 1978; 3 (4): 359-368.
31. Ferguson K, Jinks A. Integrating what is taught with what is practised in the nursing curriculum: A multi-dimensional model. *J Advanced Nurs* 1994; 20(4): 687-695.
32. Hewison A, Wildman S. The theory-practice gap in nursing: A new dimension. *J Advanced Nurs* 1996; 24(4): 754-761.
33. Bjork T. Neglected conflicts in the discipline of nursing: Perceptions of the importance and value of practical skill. *J Advanced Nurs* 1995; 22 (1):6-12
34. Busen N. Mentoring in advanced practice nursing, *The Internet J Advanced Nursing Practice* 1999; 2, No.2
35. Earnshaw GP. Mentorship: The students' view. *Nurse Education Today* 1995; 15 (4): 274-279.
36. Kelly B. The professional self-concepts of nursing undergraduates and their perceptions of influential forces. *J Nurs Educ* 1992; 31 (3): 121-125.
37. Lynn MR, McCain NL, Boss BJ. Socialization of R.N. to B.S.N. Image. *J Nurs Scholarship* 1989; 21(4): 232-237.
38. Klein SM, Ritti RR. Understanding Organisational Behaviour. Kent: Boston. 1980.
39. Corwin RG. The professional employee: A study of conflict in nursing roles. *Am J Sociology* 1961; 66: 604-615.
40. Lengacher CA. Effects of professional development seminars on role conception, role

deprivation, and self-esteem of generic
baccalaureate students. *Nursing Connections*
1994; 7(1): 21-3